



cor

Prof Hompel's
Lectures
1857858

William, To, The Thewoo



Sepia. Juice of the cuttle fish-Sick headache, hemicranice in be males afflicted with hysteries, shoking shitching bearing pained-opposeswell paint accompanied by naused and vomiting in females affected with scanby menthication, amen erythism, flushed face, evenep of the abdomen, Recommended as a preventative of mis camage at from the 5th to 1th months, chronic gonorwhat, caustiveness in pregnadet fe-males, bloody mine, I Small sed fimples upon the skin producing roughness and exacting, on that indide of joints of knee and elbow. Islandular and sympathice swelllings, induration and suppusofred where with calous edges -Then bloody or ichowns pur, caries & expoliation of the bones, disorgaing atein complicated with mercurial pecatment ganquene, Lape norm; norm fever spilepsy worse during change

Spigelia. Pink not, Lingle doves manifest then selves in increased ratio from Symptoms. Sparmodic movement of eye lids, initation of the intestinal micros membranes - pains in eye ball during motion as if the eye were for large, intolerable presence in both eyes more when theming, Friflamation of margin of the lide, relevation land emaiting svenes, Inflama-Aion of the selendria - vessels congested, hids heavy - inability to open them, burning in both eyes liging fratient to close them, idea that they will not be able to open them again. followed by blood sed fore before the eyes obstructing the sight, and returning again after a profuce flow of heart and delatation of the pupils, dimness and faint litts hang down as if paralysed, Dilatation of the pupils from small est at anything, Industructures feight as if eyes were full of maker or mist before them-sensation of I something were hanging to the tids,

Scintellations, Amoundis, Lithlating · sensation on the dorsum of the mose, as if a light currant of air were passing overit, face swolen in the morning, pressure in the malue. bone, tearing pain ac companied by pressure, bruning pain in the malar bone, drawing and shitching in the check, Footbacke, painful firks in decayed beethe aggravated by cold, pressing pain from within orthoused, intermettent, Habulent distention of the abdomen, followed or releived by a love shoot, mingled with yellowhish mucous, crawling & telrity in the rectum, ascaridely & lumbici, (16 fluid or of water on in of nost | vident pressure in chest be for the left claricle, sence of construct ion in the muscles of the chest, ac companied by affecting of an quish- hearing sensation with constriction in lover part of chest, whift. ing to the upper part of the obest, then palpitation of the heart, unusually show beating of the heart, palpitation in creased by cetting down or bending forward, above the region a pain. ful sevention is of from a louddragging and cetting in the abdomen

as if by incarcerated flatulence tedring and constrictive oppression in region of the heart, tearing draw. my stilling paint in joints or Whought museles, when streteling the limb juking and throbbing in the joints. Spongea Tosta. Group, Gotter, Chunic bronchitis, auch bronchitis, Stricking in the region of the beforeation of the bronchia, handness of hearing in serofulous pursons, ofor-Thea, delihis, Sabina. Pacher enteritis, griping outling pains followed by a discharge - Lenchorhoa in place of menses, Demophysis in place of mendes. arthritis where deprotion has taken place, leaving from with presence in the matatack joints, Famiful drawing in too joint aggravabed by walking. Shoup shitches in the heil from within outward, Dysuna, irribation extends over the intestinal 1 mucous membrane accompanied with a discharge of blood with muce burning pain, Difficulty of unnating punilent- gonowhoen discharge !-Condiglorhata, Antidote- Emetic or cuttailie then demulcent drinks of immediate.

K

Sambucus Black elder- Blossoms are used. Dry conga- Infricative catarrh, Congle which has a saltish or sweetish by pecto. vation of pus, Hectic five Considerable night sweats, Cough-considera ble dyspinoea, adema of the feet-Angina Pertoris, Intermettent Fent, when the perspiration is excessive a sinchure of the inner back ack as a cathachie and emetic- Blos-Sorred act as a sudorifie -Scilla Maritima. Evons on the shores of the meditheranian and in Junkey. On massive doses acts as an emetic, it also acts on the unimary organd, and skin Plenning when effusion has taken place, Pneumonicoreleccative proces gine on, with hemphysis- Chronic bronchihis, expectoration of pus and blood, Suppuration of the lining membrane of the kidneys bludder and methra, discharge of mucous then pus. Topsey - constant enging to pass va. tu, out inability, eneweris, large deposits of mucous or pusies the turne

Sarsaparilla. Rosts are used, Syphilis when com plicated with mercurial poison. The of an old character. Suppressed Scubes-Sabadilla. The bush is found on the other slope of the Mexican andles. Large doses cause bring pain in the throat and stomach, nucea, vomiting, purging, Inostration of strenght, loon rulsive delenium, land acute supplion like unticaria, It is need for wound, burning sensation in the bowels, and us if ball of thread were moving around cutting pains - naused land vioniting. Spitting up of a watery fluid, I creeping in the rectum. Tape worm, Spasm, Lofo of speech, convolsive whation of the arm. when these symptoms have passed off, there is a discharge of a file of the morn, Neuralgie wheumakism, characterized by shuddering and chillines followed by schenes k reacines in limbs, intense pain en the bones and joints as if scraped with a knife -

Intermittent ferry where the chill is cut up. Burning creeping & isching in the skin When the seals is the seal of this there is Tenea Capitis Caused mausea and rometing heat in the stomach quick pulse, headache Deeds cause topor dilatation of the prefield-with vertigo. Augina - throat fells rough, ran feeling and sorenes. causing proce for less dry cough. Chronic bruchitis and produm duid with a lendency to a levelopeera Infantum, Durhea gecom panied by cutting and burning pain. Klothitil Theumation. tendency to purspiration on the least exertion. Secale Cornutum. Contractioned of the wherest along of the utered, Jangrene len sation as if in sectod were crawl. in along the skin- wearings. donings. Pushela Maligna-Malegnant Small Fox- when the pustules assume a gangiencons character.

On from down with sugar is giver for Saperon and Lumbrici. Used in epilepsy- mucous Plette Sis, expectoration of pus, Soul sweetish or saltish, hechiefern, night Sweak, Staphasagria. Tenea Capitis. Sever Heling vermin developing, old mister anaged itch, violent at night Lem brice Raneums hunger, Jounskant flow of water from the mouther itefiling in the rectum and arms, Ajeafides, Jinen, Sentons Of Methalmia - Suited to pressons of an initable temperament. Stramonium. Tinchore prepared from the seeds, Towerful nancotic la gent-In small doses diminishes the sensibility -Corebral Group. Maria characterized by a desire to bite, strike and destroy - Jumping sing dancing manin characterned by a 1 constant change of enfortous, manna characheiged by excessive talking even to persons not present, maria character-

ized by hallucinations Mania char Nervous Group Telanie Spasm, opisthotonic spasms, accompranced by formication exceled by eight of lucid bodies, Barox yours of alker nate contractions and relagations of the limbs. Chorea, when the limbs jik in all serts of directions, Opilepay chewching of the Thumbs, stertowns breathing, foaming at the mouth, expression of terror in the face, Hoysteric Spasms, preceded by excessive instability, atternate wiefing and monthofylness, selevall excelement, Jainting fits, hateut falls down insensible, ire attend imperceptable Corbulsions of heald and and with hickoryly, desire to like and tear, ldryness of the montequed facces, spasm in attempting to swallow a liquid Sharm with result the face and eyes, Special Senses. Dilabation of the pupils, sharing and glistering eyes, swelling and reducts of the face, sincitments to light, dyplopeia, blackobje to look grey, letter seem to be moving while reading, complète amaurosis pas:

alisis of the upper lid, Gritting of the beeth, hands moving at the same time, Daynep of the mouth dereaming until house, etammering, aph onia, accompanied by funous delening swelling and protruseon of the tongue phyalism, matery or tenacions, Cometr of throat! Gastric Group. Insipid taste combing of sour mucous, amichy and burning. in the pit of the Somach, tympanibis, blackich diarrica preceded by, rumb ling in the bowels, cuelaverous dianhock discharge of Hood Univary & Sexual Group, Retention of wine accompained by a sensation as though a ciglindrical ball were being puch. ed though the methra, Dinesis accompanied by shuddering and unbling in the abdomen, Importance Mym. phomania, metrorhagia blood black and cleanfood, Catammal Group. Hoonesness, shill voice, engle worse at night, Critaneous Group. Red rach on the exect and back, body evened with brown stripes, Mever Group, Acute sulptions, body dry and hot, Typhus, face red and bloated, Sleep. Patient sleeps as though he were dead, While sleeping stertowns

bruthing, suddenly wakes with screams coma-vigil Omitted Cerebral Symptoms. Nervous vertigo; in ability to collect one's senses, Stupifacefrom about the head, Delerum Tremens, characterized by furins delerium, hallucinations trightful visions, Phrenitis. Antidote. Emetic or Stomach Pumps, There Coffee or vinegur-Sulpher: \_\_ Cutameous Group. Rach upon the skin accompanied by sounep, Isorie emplion resembling scales, Urticain, Herpeticereptions accompanied by engelpelatous inflamation of the skin, burning iteling expecially at night, Ween bleeding readily and seenting a felid put, Wishow, schimes subucle of lower life, Herhetic Emphions, Herhesbyramosus dry or Sumid heepes. Heepes Thagedenicus accompanied by imaciation and fever, Keepes of various kinds, Scales, vesicular and papulous, Cousta Serfigenosa, Tenea capitis of every form especially the dry- 6 movie Enjoyelas, Some Rosacea, Interprego Infantum Sengulous Meus, bleeding rendity, discharging foul free, mente gra, Herpet. ic sports, Ossions disorg an exations, especial. if there is mercurial complication, Glandulas serellings of a Lerofuhours makine, Anasarea from acute exauthem, as after Scarlet fever, or from suppressed Scales. Cerebral amoup. Headache, rush of blood to the head, Hosadache on waking, Genodical, Headache accompanied by throlling - Chronic Vertigo, Maydroephalus when there is a provice taint, Tunling of head from suppression of whole, Nervous Group Rheumatic pains in muscles and joints, drawing and stricking paint Swelling and redness of the knee juit, Shiring smilling of the lock, healysit accompanied by gout, Ischia nervosa from suppressed itch, Orbital Group Inflormation of the eyes and tids, accompanied by hyper trophy of the linely membrane, Atthitee and Senfalous of Attalmid, vesicles on the cornea, amaurosis, Cata. aricular Group. Oborrhoad with all soils of noises, Nasal Coronep. Jouenes and swelling of the mose, Wisharis Dental & Buchal Coroup Aphtha, Lothdelier accompanied by swelling, inflamation and bleeding of the guns, Jeeth feel clong ated and selt on edges, throbing pains Mereunal Myalism; Stomacace - Chronic sore throat

· Castric Caroup. Foul taste in the mouth in Complete Ross of populate, Desire for & son things, since of fullness in the e stomachfafter eating, mata brash nausea and rounting, contractive by pains after eating, Herhatemesis, Chumio Inmiting of food, Chronic Cordialgia is Swelling and inducation of the Mesentic glands, Atrofitia Infan - Sum, Swelling buildrep of the Inquinal as facell as the Axillary glands, Watery Diarrhow, discharge d of white mucous, discharge of bloods with tenesmus, Constillation, Cauchines when the rechum prohaps during stook, Caustivenels a. with files, stringing and builing in the rechum, Ailments from suppressed piles, Cemowhoidal colie, Urinary & Sexual Group. Eneurisis, Reduction Hermaturia, accompanied by burne ing and stringing pain in the method, en I tohol sweat on the general organs, - Stringing in the gland and whole , paris, Suppurating alcer on the glans and prepiece. Inflamation e of the prefuce, Iwelling of the testi-"cles sexual weakness, Vinishuntary discharge of prostatic juice & sembre,

Propries flow of the menses, Leuchorshagofla corresive yellowish char actor, Chronic Sombohaca, gononhoca from suffressed hemontorids, amen orthoca of surfulors individuals, congestion to the head, palpitation of the heart or flushes on the face, Prolapsus when from determina from of blood to the parts. Disposition to misearriage, Enjeipelas of the mamme, hardrelf and bendency As suppuration, Chatarrial & Pirlmonary Coroup. Hoursnefs, Sense of rawnels in the throat, Littilation in the Karyny, Congle accompanied by pain, Ahin give q in the chest, bough accompanied by vomiting, Spasmovine contraction in the chest, bough accompanied by the expectoration of a green yellowish matter, long h with expectoration of blood, Dyspinaa, Aethina, aprica, Congeston of the Lungs, characterized by aching pains and fullness or phes sure, burning in the chest with determination of blood to the chest, palpitation of the heart, Common Loll, alcelation of the Schneiderian membrane, discharge of foul fested pus, soreness of the nostrils, aphonia,

from catanh, accompanied by dys I proved and emstant expectoration a Chronie Leough, accompanied by in expectoration of mucous, romiting expectoration of pus, or expectoration blood, Croup, Cough after medstes, Preumoria with acute etage - having passed array - dispositions to cough, slight cold bringing Non Pleuritis Plastica, 1 . Inberentar Phthisis, from July bussed itch, asthina, Salfula · fine of the heart, Hemphysis, , bough - Asthma from suppressed hemortingels, Hever Coroup. Typhoid Ferer , buning teling emption on the skere with watery diawhad, boutin was heat and coper at night, Hogebie Fere with night procuts, Steeplefances, Restlop sleep hight-Montal Coroup. Heysteria Heypochondra ment of the liver, candlineness or from suppressed piles, Marria from suppressed tele, Anticlotes - maumal phyalism

Antimoneum. Condum. C'erebral Group . Anfryfying frain in the occiput. Headache frontal, nouse at night, some pain in the passetal love swelling of perioteum accompan-Nervous Group, Goul Cheumatiens, drawing pain in the limbs and joints, red, not swelling of the fore acen Opecial Senses. Redness and Inflamation of the eyes, Thirtofoliolia, nightly application of the lids, amaurosis I mercurial Charactery Fishela Luchymalis, with descharge of felid me, from suppressed telle I Redness burning and well ling of the bar, to aland of the Enstablian hobes, Somethe of the inne more accompanied by Somation of crusts, Suppresating eneptions on the Jace accompresided by weak Sugestion, Bleching of the grund, lovenep of the frished Suffamation, swelling and bleeding of the guml, deep wee colored inflamation of guns, Coastric Corony, Bitter baste in the month, better excepationed, rom. iting of bill and mucous accom panied by dienhous and

feeling of auguish in fit of stomado Oppression for the stomache and contraction, Emission of fetil flats ulence, alternate carlstreness and dianhoed, watery, dianhou, dienbeing, blooding and bluck shods, Hellmish mucous from bonell, Inbucles around the arms with a burning and Stinging sensa-Trinary & Sexual Corroup Insunia, Retention of mine, Enemesis, discharge of mucins from the methra, batand of bladder, Suchowhear, Catarrhal & Prilmonary Conoup. Duy leveryle paroxyems of afmed, leohyth accompanied by Stitching pains in the chest. Herer Corong. Theumatic arthritic Fire, with quat gastie deraugement, in morning attended with prostra-Entaneous Group. Violent Stelling populous emplions, hearing brown epots, Shofthulus, appearing during In-Janey. Strofthiles Volations, butming - Ind spoto, Lichen Simpley, Lichard as agrind, Lichen Lividus, Lichen Urticaous, Unticaria under the chim

Varicella, Vescular Herpes, Herpes Phlichservides, Helpet Loster, 1 Heupes Labralis - Heepes Prepur cialis, all enophines accomhunied with gastine derangement. Sentes humidis, or funorlent when confision is imiterate, Jenea Capitio - Casheles terminabing in yellowsh auch, solica Delineca, Veetena, Empetego - Boils Fungus Suptions, agne Rosaccu Montal Combay Defression of Spirths. Tartar Emetic. Cerebral Corony, Delerium Tumens, maused & vomiting, great prostration, funous deleijum, "aproplectie Comed, Constant iteling, Intermittent five (Applechic) refelling be . Chimal, (Mitte Saltar Ent ie Gintments ) milled on jutof shomaches Orbital Coroups. Ophthalmia, from Small. Buchal Corongo. Thy alien from Small Pox. Amatitis, Andina Dontheretica, Crastric Coroup. Causen, vomiting , dearwhoea, precordial anguest, Chetritis mittel lendency, In gan grene, characterized by excessive huming

and tention in the epigastrium, sensitiveness to touch, romining of file and blood, inability to lachaire liquid, extremities cold Amque inflamed, thick whitish ovalling, Sastro Enteritis, burning griping pain in the bowels, inkessant dianhoca, tympanites-Sexual Group Eigena, Heleifes & Forngo, on the peris and serohum accomparried by Anions bruning & iteling, Thetules on the pudenda, Levelowhere if a thin ichorous chais Catarrhah Chroup. Influenza-when setting in, there is chillifula, energing it postration, then five, Grenno mia, in the 2: or 3" stage, when ha hiert shits up or firms quantitris of phlegm - Croup - Whoop-I ing Bough desire trey pectorate writte inabilities -Flever Coroup. Wellow Fore, constant romiting - sweat and coldness, of sking Sunking in the stomuch, Believes Kenntthut Lever, cold sweat, To prostration vomiting, Small - Steep Restlepnes Soporous

Mental Group. Excessive apathy. Antidotes Mellor Cinchona Finetone, Powdered Galls Veratrum. White Hellebire Poisonous to all animals, "Violent acrid instant, Cerebral Groups. Verligo with observation A sight, Cerebral congestion, bridering on Apripley y - protrusion of the eight Mortration, coldness, reteling and muting, Hemilerania with retch, my and rombing, Acute Dydroceph aful design to sleep, althnate contraction and delatations of the pupil. hody cold, head hoto bring into the fillow, pulse welgulas. Nervous One ony, Distense prostration accompanied by collapse of pulse actching and voluting; tendency to oplasmin the extremities, tendency to lock-jaw. Special Senses. Amaurikis, delabation of the pupils, dryness of the eyes & inflamatory initation, Sinsitives ness to light. Hemoralopia - nyetal. opea, populysis of the wifee eye led. somenes in the eyes, heat kendling

in the licks, makness of thouses, Dealness alternate feelings of theat and endelle were, a cusine discharge of natur from nose, svenep and solceration of the mose, Hipporatic contenance, teethe, Lock-jaw. Phyalism from paralysis of the glands, feeling of coldness of the tongue, aprining Construction of the fances, suffication drynes and sense of coldness in the Throat, dysprhagia -Chastric Group. Lofo of taste, unquench-able desire for cold water, constant reteling and vomiting accompanied by fairfting, universal prostration, collapse of pulse, Vomiting and clear show accompanied by brhining pain in the spigastrium, stomach and bowels, Syn gultus, counting of mucons, constant desire to vornet, Then raising lettle muevus, vomcting of bile and blood, Carthalyia accompanied by burning paine, intouse thirst, painfallness of the abdominal walls, burning in the bowels as from hot evals, cramps in the borrels, Flatulent bolie ac-

Diarrhad, bloody stools with tenes Vinary & Sexual Group. Dysuria, Eneuresis profuse and premature menses, alcompanied or preceded by headache, or epistoyis, prostration, cold-Catarional Crongs. Drynep of the more dry and backing codgle, accompan ced by fithilation in the throat, bough resembling whooping cough Congle accompanied by bluences of the face, Esthma ending by running at the mose, and profuse expectoration. Outoneous Comp Empline like Hea bites Sleop Sleeplepness at night, Lettrargy Thever Coroup. Hemittent Fever of a typhoid character, great deal of collness, flushes, Intense thirst Intermittent Gever with prolonged cold etage, prostrations and in-Huse theret -Mental Group Excessive August, defres-sion of spirits, manie, Insmity accompanied hysoreaming and run-ning about, ming about, Antidote- Emelie, Office or acids

Zincum. Gerebral Group Tiolent cerebral Meuralgia. with regular intermission. (Oxide of Time Paralysis of the Brain in Searlet Gever characterized by involuntary discharge of feder and mine! now and paralytic weateness of the extremities, Sopor alternative with delerium, Paralytic Stage of acute Hydrosephalus Jenea Capitis. Special Senses. Inulent Elephar of that. mid - Blepharophosis. External & Internal ewelling of the nose, Its of emell, Constant dupness Discharge of rears from the eight. Provopal gia (applied as a was to or centment) Tremor of the facial musell Gastric Group Xom gru chations burning in the stomach, obstinate Consti-Vrinary Group Burning and cutting in the welling, discharge of blook Catarrhal & Pulmonary Group Grehmonia Phlegin on the cheet, Commissione astrona, Cutaneous Coroup Obstinate prinfiles herfes, gonorhoeal herful,

Wever Group. Chill and flushes of heat- febrile motions, violent brembling of the extremities, beating through the body -Mental Group. Meloneholia all ents of Visions, especially visions of demond, ling cety Oxide of Zince. They droughed lus, Prosopalgin, Risus Saidonicus, Spasmodie attima chonea, Epilepsy during deuti. tion, from worms, Recommended as an injection in 6 hoppe. Acetate of Line Acute marin when there is involuntary dearrhou, Chloride of Zine. Chima, Epilefery, as a wash sy lidetie evres, Herpetie k Strofulous sores-Valerianate of Zino. Used in acute nevous pain as a wash or ornhment Used also in Lumbago as a wash a ointment -

Benzoic Acid CHO. Derived from bitter almond oil and the gum - benzoin - Used where there is a tendency to concertions in acthinkie or gonly affections. Where hypune acid is in excess and une ouid is deficient in the unul Antidotes. Thagnesia or Chalk\_ Symptoms. During in the gullet, mouth stomach, sometries, severe pain in the stomach, and abdomen, excited by timele ir pressure, violents thirst, Headache, tongue red sorbere, rigid, tender, pulse imperceptable alcompanied by deadly evednes, clumines swedt, mails and Ainger assume a livid character, Imall tremulous intermittent pulse lop of consciousnes, Convulsions extremities number, tremos of the limbs, since of number and pricking in the backgand thigh, Sunsation as if the hand were dead, lop of power, to move the limbs expedially the legs double pain in back running to the thigh as though the equal manon and inflamed

Inflamatory neuralgia of the spinal marrow, accompanied by tienson COH HI garaceanic acid her her asphysia is developed buildenly - patient becomes as cold as deatter. Muriatic Acid. Used in relees with a burning pain and discharge of fetid put, Malignant mull-poor with a tender. cy to a putrid character, Legsthus, patient seems paralysed, ropey saliva hanging from corners of the monthe eye Halls turned up so that the white only appeals, love jaw hungs down, tendeney to believe to the bottom of the bed. Nitrie Acid. mercurial prison; Syphilitie di-Seases, Olmonie faundice, Enewresis, Incumbrica fold emereinted, imporerished feelons, tendency, to paralipsis, greenich blood streaked pus, Informes Sutordus hemorrhage Hom the bladder anno thin enes, Skin well and clamy,-

Sulphuric Acid. Seine covered withe dank sports, which become raised and blood orges out. Burns, aphtha, mechanical in juries when stongling. Ognosis. Phosphoric Acid. Caries of the Bones, from Mercunal poisoning or from the causes, Rachitis, Nochunal Emissions. Lenchowhoen after Mandes. Choleraine. Chronie diantida, Dialetes. when a companied by emaciation Congle accompanied by of pectoration of blood, burning and etinging fram in the air passages, Heetie Veres when there are collequation night sweets, Typhus Abdominalis - when heche Lever sets in . Ikin hot, dry alternating noth moisture - flushed Sopre-Cerebral Group. Verh go accompanied by gasthe decongement, foul breath, foul tack and tongue, longue thickly couled, Ind den concussion of the drain, lofg of consciousness, fainting Special Senses. Traumatic inflamation of the eye, amanosis with abdominal emgestion, Drafness sense in the ear

as if brused, Copiones Epistaxis. palenep and sunken features, Henrichage from aftraction of bon the teethe, from operation u-Gastric Group. Dry tongue, tongue thickly funed, dishy grey color, loss of ap. petite, bitth emetation, slause a & romiting, hematemesis, hematemesis from a blow, watery dianhace, ford enell, discharge of mucous with tenesmus, Intrid Dysentery -Vinary & Sexual Group. Homatuna, profuse discharge of making wind, I Thumatic orelitis, Phimosis & Faraphinenes. Inflamation of the mamma, metrowhazia from a blow, Respiratory Group. Pleuritis (false) where there is bilions decargement, herrous Oneumonia, dry cough, Schil breatte. Hever Group. Intermittent fever, with gastric descrigement, Gastrickyphus, Wervous Group. Pheumatic Saralysis with formication, a chock as if from electricity - marasmus from Lexual excessed, Costaneous Conous. Emplion of Books Specific to rounds of the muscular fibre.

Argentum. Och whom the articulations, Dones, Cartilages muscles bendons, liga. ments, I glands & heart, Special Senses. Quent Coupea with violent sneezing. Beating, Voithilation & micking in the Heft, nasal carity with Aneezing. Thehing in the lobule of the leads, senseation as if insects with many feet were dogging into the defreesions of the cohella. Inflamatory redness of the ear-Gastric Group. Sensation of hunder which is painful. Vinary & Sexual Group, Copions secretion of watery wine - Pain in the testes as if contused, digging pain - Chrone orehitis. Catarrhal & Respiratory Group. Oreaking & eracking in the cartilages of the laryny - Enflamatory condition of the laryny - notte tendency to relcuation. Spasmodic palputation of the heart, sensation in the low. in part of the back and region of the sacrum as if trucked with cce. Nervous Group. Lanning, bearing pains in the smaller joints, pulsative

shikehes in the hife fourt, pain in the small joints has if bruised Sensation as through the bones were paralysed even to the marrow. draw. ing in the long bones, Ostalgia Ar. thralgia - Cofalgia, Chrondrihis -Soreness and cutting pains in the cartilages-"un Nitrate of Silver " Corebral Group. Violent praire on every part of the head. Excessive con gettion of blood to the head with throbbing of the carond arteries. he winess, shipifying dull. nefed the head, meloncholy state of mind, inability to express sulta. bly-and esterently oneself - Headwere accompanied by chillings Then with oncrease of temperature Hosal feels larger - tehing and creeping - sensations in the sealpsensation so if the hair were being pulled ont by the roots, Special Senses. Sunken and pule ofpearance of the face, as of people of ald age - Conjuntinhis - conjunctira pulekered up - redness in The corners of the eyes , as if blood were efficient - drynes in the eyes, amon rotie symptoms, sensitive ness to the light, agglutination of the eye leds

in the morning, Violent tehning of the mose, where atel sent of the misedischarge of blood and pus when blown, Coursa chillings, energing -Stupitying headache, sickley afrpearance, in the face, discharge of pees, blood and maker, painfulnep in the teethe on taking water, Orgging and grumbling toothacke Jums inflamed, teeth loose, plya lism, beeth some, Feeling in the longue us if sealded, sense of someres in the funces as if scalded, Dark redness of the fances and will, pain in me side of the throat as of interated, pain in the throat, as of a eplinter were lodged in it, expec cally when smallowing. Deating and throbbing pain in the throat; Throat full of watery tenaccous nucous, compelling praticul to trank up something thing which appears like balls of souper mineons, Gastric Coroup. Better chalkey taste belching up of wind, someting of glassy mucous in the convening, Inthe a desire to somet in the afternoon, tremelors meatenes, Sensation in the head as if wa vice

Cardialgia characterized by internal chillings. Cardialgin char. actured by distressing grawing pain in the stomach, griping burning pain in the stomach, C. char. by yawning. sensation in the etomach as if it would brust, ineffectual effort to raise mond, pressing pain in the stomach, fainting haused - flowed water in the mouth, mability to etis, O. chac, by pressure, burning drawing pain after a meal, black or acid substance romited after a meal, C. char, by Some vomiting in persons with yout, Co. chaze , lup! cancerous diatheris, Schirus of the stomach, Geeling of emptymet in the stomacle, dance for prequent food or drink, insatiable himsel, accompanied by defines-Dion of spirits, malaise in the region of the clomach whered by pressure, vombing of water in full grown persons, I D Abdominal Symptoms. Nothelies in the five sense of fullness in the liver hypertroply of the liver, pains in the abilomen as if the lovels were sore, accompanied by a sensation of hunger dimmeshed by eating

after which the bonels feel tremalous Stitches with dark through the abdomen as if from electricity - especially when moving about, sensation I coldness in the abdonus, which is partful - sensation as if a ball were pursing from the abdomen to the throat of Colic followed by discharges of green mucous, very school, accompanied by flat whence, Caustivenes, itching at the anus, very molent, discharge of timen, Trinary & Sexual Group. In quent disof saine passed after which the mettra feels enden, burning der my michination, susation as as if a drop of water were pass ing through the mettice, conthing I pain from poeterior for. tron of the miethra, to the and Ater meturation, Overeto of The mettrea when muching pain in the middle of the milethree during michiations as if from a splinter, Wethra fells Inden as if hard and knothypriapism, Inflamation and violent pain in the methra,

Comming in the method & ferce Complete Hops of sey and desire, Organs become atiophied, chance of the prepuee, metroritagia, Pulmonary Group. Dryness and burning bithlation, in the langue causing engh sufficative cough- frontbigularly, in the day time, acting sensive frain in the chest, violet palpitation of heart accompanied by nousea and fainting feeling, swolen glands on right eide of the cheat, Vervous Group. Epilepsy from mental exection, imbecile formed, prostration, sigid feeling in the lonce extrematies' Cutaneous Groups Eruption like itchwhen scratched there is bleeding. Ectimatous pustules -Mental Group apathy. Hypochondria Intedate. Chloride of Sodium

A safætida. Hopkeria, Hoy prochondina when traced to decangement of the live characterized by pain deep sealed, & pressure; heavy labored breathing, pulsative throlling sensation, bushing pain in the stomacle and asophagus, fliches in the face oppression of the head or one side of the head, constant change of mind, as Liks of joy and sadnets, Hysteric in the face, heat in the head, burning in the eyes, Jastrie derangement, vaneid taste, burning in the stomach, flatulent distention of the abdomen, Globus Hystericus, when characterized by the frierious symptoms, premature menstruation when accompanied by labor like, bearing down, cutting pains febrile instation, abdomen congested, Spasmodie irritation of the bladder Sparmodic breathing accompanied by pressure, extehes In the chest fal. hitalion of the heart, Dry nervous cough. Nervous Pains. Intermittent pains, thook. ling offnessive pains, statelies, darting pain flying from within outward, relieved by emback Sometimes with fully of numbrely, mercunal & levefulous caries of liones, Caries and Rickets mercurial and scrofulous ulcers,

Aloes. Dependeng - tenesmus - burning & heat in the bonds, blood discharged is dark, burning and cutting paine in the rectum piles, I flow of hot blackish blood, accom parried by heat and fullness in the lowels, painful pressure and heat in the liver flushes about the face. heat in the head, Believes dearthoea, with justid smell, whole body feels hot during evacuation; Excessive menstheation, blood hot& dark, abdomen feels full hot & distended Camphor: Vertigo- pale face, bearings of the breade sunstroke - los of conscionants, meningshis - when from sudden retro. cession of acute emplion, or exposure to the suns rays, acute Epilepses when from some sudden emotion, Tetanic Sparms with hofo of consciousnos, when from retrocession of an acute suption. Special Senses. Staring and inflamed lyes, explus evered with red epits, excessive contraction of the pupils, stronge figures before the eyes, sensation as if oligich were too bright and Shining, obscuration of sight - sen-

sation as if the eyes were pushed out of the evelets - Catanhal theumatic inflamation of the month, teethe feel long and nehe, titches fly through the gund, from at the mouth, flow of 24 saliva, dry and scraping feeling in the throat as though one land sipped of, insatiable deine for drink -Gastric Group. Burning in the stomache, Gastritis, Gastro-enkeites, Inflamation of the viscera from sudden retweession of of emption, dianhau watery- accomparied by burning sensation and feeling of prostration, dianhoea from exprosure, Vinary & Sexual Croup. Steam guy, tenesmus burning fram in the wellow, impotence. Catarrhal Group. Influenza, first stage sufficative catarth, as of the lungs were paralysed, patient cold, fuelse collapsing. Mevor Group. Intermittent Fever, chill long and accompanied by Defrer asthenic fever, coldness of the skin. collapse of pulse - Ropor - " Cutanoous Group. Violent bonning Heling of the chin, erysifielations inflamatron of the skin, Montal Group. Marria, disputative mania, patient wowls, screams

and wants to hill hundelf, Mania characterized by complete apathy pulse slow, pupils contracted. Antidote. Emetie, then a dose of Chium-Coparba. Excites a flow of salina, In the bonds colie, watery diawhed, Copions stools lop of appetito, nausea and vomiting colie, tenermus, binning at the arms, bloody stools, Trinary & Sexual Group. Excessive initation in the bladder, Inflamation of the unimay organs, Inflomation, smelling & solveration of the onifice of the weether a. accombanied by throlling pains in the penis, itching, smarking & burning in the methica, retention of mine, Kemahina, burning & sensation of dryness in the prochate gland, swelling and indusation of the bestes, yellow purulent gonowhola, metrorthagia, dischange of blood and thack purelent mercon from the womb, accompanied by pressure toward the vagina, constant initatron in the ladyny accompanied by cough, dry and painful con ghe sometimes accompanied by profuse discharge of greenish grey mucous,

Cutaneous Group. Dark colored, or bright red meade shaped emplion, deling intolerable, sometimes must together. like grapes, on the face there chest, abdomin, hands, feet, after its dis. Apremance Chemiphenia, Setsin Scarlet ned empthon, like spots on a parthur elem, deling, raised up, sometimes on the whole body accompanied by smelling of the lids month, fuce arms a hands, pain in the mouth, throul, joints, feeling of distress in the Stomach, Whicaria isolated blother, first on the And, especially on the forchead there on the doesa of the liquids and of the tongue, leaves brown shots beshind, pustules between the fingers and on the fore arm -Oleum Tiglii \_ Croton Oil. Makery dianhaed, dianhorn preceded by hard stools which tum into shaten stools, Diamhoea where stools or diarhous, accompanied by violent tenismus and burning Mach for the expulsion of times Cumbrice, ascardes,

42 Cutaneous Chroup. Vilent inflamation of Acin, appeniance of expelelas Enjerpelas redness then Simples, which turn into prestules, apolithal. min violent, ulceration of the comen, amounte symptoms, enjoyhelas of the face, Angena Fancium, drynes and inflamation the facel, and noula, havid taste constant deene to harokup mucous Oleum Ricini. \_ Castor Oil. Incons dearthoea especially from dietetic errors, Gastro Enteritis with wabery discharge from the bruels, Oleum Jecoris Aselli. \_ Cod Liver Oil. Pair in the bones of the left aim. Theumatic pains in the kneed & arms, fram in the knee especially around the patella, increased by pressure, sensation of heat on tobeling. Rednep of the skin in bed at night & beling which desappears in the morning. Scrofulous relees which discharge mucous, mucous from the methra, burning in the methra every morning in exprenating the the bowels, Inherentae Rheumation, Caries Ruditio, mesentene Consumption -

Oleum Animale Dippelii \_ Animal Oil. Obfained by distilling animal matter, It is highey volabile, Acts as an initant of Used in Asthma Heys-Leria - Hypochondria, Hysteric spasms band convulsions, muscular debility - paley, wheavyatil and arthutle affections,. Flat or some taste, loathing and nausen, head burn, Burning and stinging in the stomach, culting pains in the bowels followed by Riquid stools deterioration of the mu cour xecretions, Sallow complexion, depression of the reproductive functions, newous initability, toffness and mant of tonseity in the museulou fibre -Julse slow, decrease of normal temperature, tehing of the skin, delp seated numberels and formication in the borde extremities weary feeling and fainting spells.

Petroleum. \_\_\_

Rock Oil-

Meloneholia accompanied by gastrie der any ement, spasmodic contractions slimb strols, cutting in the bowels, endicatione, restless sleep, profuse sevent at night and in the moin ing, Chronic Southout, accompanied

by somep of the tongue, fetid phyalism, Constant dubbling of nine, Islanday Jonowhaa, relevated chilblains, Jenea Capitis Favosa, Oleum Terebinthine \_ Oil of Tarpentine. Mires a prolet color to the nine, Complete suppression of nine, ceptibis, burning in the method, strangury, dyservice, accompanied by signifitions of wrettritis - painful exections, wine pray deposit a thick slimy rediment, pressure, sensation of heavings and pain in the kidneys, bushing k drawing in the Lidneys, Hyprogus. trium painful to pressure, which enuces tenesmus of the bladder, burning in the mettera, dianhoca of mueofs and water accompanied by burning at the and, dischange of titree, preceded or accompanied by culting pain in the bowels, Drawing Haring burning fram in the lower extremities. Exanthem of a scarlet color - Exanthematous Justular or vescilular emp tross-

Oleum Succini \_ Oil of Amber. Heysteria, ex cessive nervousness accompanied by a tendency to profuse and fremature menses, a nervous vertigo, hervous hardness of bearing, Sexual excitement with noctunal emissions, Dy engle 3. recembling whooling cough-Luphorbium. Excessive instant poison. Acute Mania with violent congestion Surried Julse, Jente Gastro-Enteretising, Henrich pulse, cold meat, also when the reaction takes place, External application in burnd,ing inflamation to prevent Houghing. Incezing, redness of the Spaced Suptim like nettle bash, Ammontacum. A plant, a native of Fersia- Used in Chronic cough, initation of the bronchial mucous membranes, ox fuctora. tim of mucins, amountie meakings of eight, weak digestion, ellenmonhau lof the bronchial tubes and vagina in firmales subject to profuse and premature menstruation,

Used in Arthritic and rhoumatic affect ions, dugness of the month, sunsation of heat in the stomaches nausea, lop of appetite, relaxation of the bowels, great desspiration, mild phyalism, flat-ulence, caustimus, mucunal Theumatism and bone pained -Antribie Meuncalism characterized by lancinating stateles in the dy tremities, from the feet up to the kneel, dalapa. Screams and restlepeness of children, Shoots have a some smell, painful diar. Moen of children, molent destlepres and crying, watery dearthold of grown persons where there is a decrease of the pulse and animal heat Seammony Deanhau with symptoms of initation of the intechnial mucous membrane, with grifing pains Gamboge. From the gamloge plant, Froduces nausea fromthing griping pain in the bowels, tenderness of the abdomuy, coldness of the extremities, decreased pulse, Antidote is the Carbonate of Stassa -

Toofuse makery deomhoed accompanied by griping & tenesmus, dearthour with burning paine and tenesmud, hard monfficient stools, notent unging pressing and protrusion of 6 the seletum, trond rometing and purging accompanied by fainting and sinking of the pulse, Violent initation of the bowels, ragina wheres, Alumina. One of Hahnemann's anti-provic remedies, The symptoms are, drynes in the month and throat, diminished quantity and increased consistency of the Valine evacuations, housen someting griping, purging, Inflam along condition of the alimentage ca nal, Lastro-ententis, Gastrie derangement, characterized by a flow of broader from the month with al-Ratine reaction, sensation of full nep, and pressure in the stomacle, Sensation of dullness and torker in the stomach, Constitution where the feel and day, hard and pull. Lead Rolic, Subacute Gastro-Emteritis a characherized by vomiting, jurging watery and even bloody distribute heat and tendernes in the bowels - Gleet-

48 Carbonate of Ammonia. bring headache, Britation of the an passages characterized by oppression and racking cough, expectoration of mucous, Inempost the an passages pulse may be initated, limper. ature in creased, and slight per-Spiration, Inflamatory initation of the bowels, bloody mucous, I discharges, fram in the bowels, Severishmes of the Vystern, fetal mine; dyemenowhere, shellinet and finishings, blood dark, discharges frequently searty and painful; Seubahe and putrice condition of the system, bromonhage from the anno, mouth and nose, washing array of the omuseles, decompasitutor of the pital floud, pulse hurried and feeble, habitual dianhan of foul mucous and blood, mind fetid, Butred Typhas, fever, heat, dryness of the okin, foul breath, Consulsions of tetan. congestion, Heyberia Sycope, Searlet Level which assumes a putrid or typhoid form- Antidote Dilute Vinegar ordenin juice

Muriate of Ammonia. Heat and offression in the stomacle, headache and mereased desure to umate, Constitution, Chronice r catanhal initalion of the fromehead timing membrane, catanhal initation of the stomack and bowels 2dearhea, Chome catanh of the bladder with discharge of mecons and in exerced deline to annate, hemature men-Amation, with pain in the levols, dysmeworthour when from too frequent menstruation Antidate. Vomiting by warm water if inflamatory enough tones should appear give seonite. Revisidered as a cooling agent Coursed breadache, & indigestion Aqua Ammonia. Suffication anxiety, livid, strenks on the face, Jonque bright red, voice feeble, dysproder extreme, wislent pain in the throat, pulse feelle depphague Lop of voice. Antidote. L'emon juice. Pilute vinegar

Anacardium a bean, contains a kernal in which a juicey liquid is contained which If it touches the ckin, produces rivlent inflamation and dangerons pushelous emption. It's primary of the senses, Angustura Vera. Produces regidity of the muscles of the body, like telanic spasmes, Vone suddenly falls down without looking the senses. Lockjawparalytic affections, Spinal affections. Then in- Spring intermittents, Intermittent newralgia of the face, with debility nausen depression, loofe bowels, Diamhoen of a chronic nature, with nausea, debility mucous and gastric devange ment, anxietty. Useful in Dropsy, Hydrothorax, Ascites, Recommended in theumatic and catarhal ophthalmia burning and redness of the eyeballs land lids, aching boing and struging frain, lackrymlation suffunction, sensation

as if sand were in the eyes, swelling of the exe-lills photosphobics, Inflamation of the ton que, month he and fances, parts red, tongue dry and swolen, constriction of the fances, burning heat in the Janees, glassy moreous in the month and funces, whey memucous, Glosatis, Tonsilitis, Vesicular Enjoyhelas, Scarlet Fern measles where there is angina fancium, Meningitis Hydrocephalus, with convulsions sopri, delerium, lop of consciousnep, intempted by endder chies, perspiration about the head, Lyunbing, reteling and somiting, digging and bring of the head into the pillow! Sinking of the abdominal muscles, tremos of the extremities, pulse intermittent, juking, Dropsical effusions, Elydrothoray, Ascites and General anasanca, with heat and dupness of the skin, suppression of wine thirst, Typhroid inflamation of abdom inal mucous membrane, Strangury-diarshoea, constipation, Inflamation of the mucous membrane of the winary mucous membrane.

52 Constant unging with burning hain. cystitis, Oschania, Stranguis, inability to minate, red wink - Uterine affections, Ingorgement of the neck of the broant, with disorganization - Dysmenowhoeawith min any difficulties. Asaram Kuropæum. An exceedingly initating a gent, It is a proverful emetic and cathe. artic. Useful in gastre derangement. with romiting and purging with se-cretion of burning salival, chillings. Wild parsley - Wild delevium, fancies he sees dogs or cats, gidmes, ofpressive headaght, lop of conscionances, the lower javo, tremor and numbres of the tremities, langur, wealines and great weakness, coldness of the extremities, consilsions, paralipis and convulsions of the organ of speech, Violent aplithalmia, gangrenous tongue, inflamation of The asophagus, vascular congestion of the stomach, and

duodonum, Confused vision, dyplopia, vacant, senscious star-ing, Inflamation and sevelling of the face - shifting from place to place -Thirst nausea and vomiting, smarting stringing heat in the mouth Throat and qualet, paralytic depbrody bloody diamhed, hardness of the liver, Giridity of the ekin swelling of the body. Sopor and restleforness at night, Anthotote, Emetic, then dilute Vinegae ordenin juice Agaricus Muscarius. Use a natey solution. acts whow the brain and newes, liver, etomach and bowels, Apoplechie condition of the brain, paralytic exadition of the extremties, coma, feeble inequelar pulse, nausen, fetid breathet, fullness and bluish color of the face, and life, choma, excessive mobility of the muscles, Delerium tremens, attempts to commit violence, rage- mania characterized by fantastic motions of the limbs, Eflilessy when there are violent cerebral an gorgements, Inflam. ation of the stomach land bonclo,

from alchoholic drinks, Inlargement of the liver from vascular eligage. Antidote. Emetic after which give Sulfiburie Ether.

Agnus Castus.

Gonorhæa, discharge of thin watery serum, impotence, entice absence of exections. Aurum. Hypochondria, tendency to enicide, Keysteria characterized by profuse menstruation, Serofula when comlined with Lypshilis, and mercu-vial poisoning. Odgena with caries of the naval bennes, Caries of the masul bones, palatine and naval processes, Otorrhoca with caries of the bones of the ear, fetid discharge, Exoshosis of the exall, and pelvic bones, Chronic orelitis, Lyphilitic places of the Janiels and Longue, Congestive headashe, blehrome Charache and purelent eory 200 -Palpitation of the heart from a wheum while diathesis, with Antidote While of Eggs

Baryta Carbonica. Scrofulous sore throat, inflamed glands It is an acred and narcotic poison. Dinness of eight, dyplopia, distention of the stomach, dramps in the calves, Its first action is on the brain, thence extending to the peripheral nerves, It might be a very useful remedy in cerebral distribunces or Aysteria in a scrofulous diatheris, Antidote Emetic then deluted vinegas. Baryta Muriatica Qualizers of the upper and lones dimbs, (Scrofnlous) Stricture of the Colon and Rectum, Verofulous induration, encling and inflama tim of the glands, Influention of the muents and serous cout of the stomuch, Inflamation of the mincops coat of the intestent, Dinbetes, Sulargement of the live Lacea, Linea Coafilis Merges Coms-Lacea, Linea Coafilis Antidote Sulphate of Toda or Magnesia Berberis. Sub-acute inflamation of the mucous diving of the intestines, bladder a wheres, Angina Faucium, Difficult menstruation discharge of seum with fever ish chillings, Anoregia -

Watery dianhora, Feeling of maines, Done Spirited Nitrate of Bismuth. Slightmausea, pressure at the stonall which passes into burning pressure in the frontal region t. Vertigo, humming in the lard, adness of the confinction, and gick hard and small pulse, Voniting with oppnession - anxiety, small Juntel, restigo, prostrution, Vomiting and diarlien; reteling, spaemed ic rebeling and purn in the stomach. Boring pains and oppnession in the ettomacle, with frontal head ache, contracted hand and frequent pulse, marm skin, coat. led tongue, flatulence, bilious stools, Frequent emissions of wa-beny mine, Endocarditis, with pal-Borex. mences make their appearance during the sursing period with prostration, Aphthous or musing some month-Bromine. Membraneous Croup-Chronic Bronchitis, with consation as of the air passages were filled with smoke, Inbenular Pathiers Hyperthy ofthe of the restrictes of the heart.

Serfulous clianhad of children from affections of the mounterie Islands -Calendula Lacerations to present the suppre rative process - bruses, contucions Cannahis Nativag Generationa; discharge of yeltouch greenish mudorist inability to pass water, Hematuria, mubility to pass water, burning & culting. in the prettina, Predmonia with adding pains, greenish expects ration, spacety of the corner, incipient stage of extract Cantharides. Jasho-ententis, chaqueterged by emstraction of the throat, so that fluid cannot pass without causing pain, bushing in the æsophagus, and stomache, naused and fromiting of blood and, mucus, stomach tender to the touch, Inflamatory of the unimany and sexual organd burn. ing from and tenderness in the hyphyastre region, limbstant blesice to minate noth inatility, priapismo saty madal.

158 local heat and initations, miscarriage, sharmodic construction of the ngck of the bladder, pain in The head as in meningitis, fuhand frequent pulse, but and dry skins, Antidote Emeric thew mucilaging ous drinks, If inflamation - opium acomito, If inflimation of the winary organs Campling. Capsicum. Intermittent fever - excessive Shuddering - chillings, pain in The small of the back, Burning & the stomach characterized by coldness and trembling in the chomack, quamisto feeling about the stomacle, afternand of flow of water, flatilent distantion of the abdomen, Small and frequent discharge of mucus and blood teneament, burning during muchu ration, discharge of mugous from the methic atroply of the elerstum and Epermatic cold, Carbo Anemalis. Glandulue swelling with ten. denry to decomposition - blood in a bad state seinhus

interes, malignant pleciation of the neck of the words, accompany ied by a discharge of fort mats ter, a flow of an acrid fluid from the stomach Carbo Vegetabilis. To raise the nervous reaction, stimrelates the mucous membranes, where the secretions are fore, purified the blood, Dyspepsio characterwhen there is foul taste in the month, alternating notte palpiotation of the heart, Somueace, foul diamhau, asiatie Cholera, in the asphippiated stage, pulse collapsed, skin cold and clammy patient appears perfectly difeless Putrid Typhas, decomposition of the vital fluids, Paralytice Dephagia, lower junddreps, Minie hourdness when it comes on at night, Foul wheels, Janquese serilis, Truptions which clim as bad state of the blood, Tendency Sangrenous Premiumonia

Castoreum. Supposed to promote menstruation, med for peterine spasm, Spashs I the reterned profuse menstruation which when it has ceased is followed by an affective of the liver Cousticum. Chronic Paralysis, Chelidonium Majus. Jospidity of the live, accompaneid by caustiveness, stools dry and white, with joundiced complex-Cina-Worms, affections from wound, Connelsions, Epilepay, voniting at the anus, nochunal mederesis, Intermittent fever, great chillines, no thurst, tongue, clean, Higdweephalus, Fornde, expectivation of forthy mucous, Wakefullness, John, despesses the funtional power of the those, of hand lumpy feces, Dianhoca with exerciation in the lower part of the and, watery stools, flow of alkaline water from the stom ach

Infuse discharge of wine, Small dones cause sexual excitement -Large doses caude a depression of signal excitement, personenes hestlepnep, Antidotes Aconite Opiline Co Antidote Tay Vomica Ouhebs. Stinging, burning, smarting Sensation in the phethia, and discharge for a milkey fluid from the weethra Frequent inging to minate -Erhetations, Intrusca, Cuprum. Tomiting, purging, bloody dias whea, griping pains, sometimed violent timestrus, Violent cramps whole body, giddines, convulsions, headache l'hop of consciousness, maddening look, rage, apopley y-Paralysis, Vainful constriction of the telest, Cough, Houried breath Themphysis, Cholera Asiatica, Chonea - Crampo of the legs thighes and feel, Spasmodife someting and reteling from scirlus of the stomach, accompanied by a foundiced appengance of the patient, Spasmodie

Asthma, Meloncholia, Defression of spirits, Anguish - Craziness of a shy charactery patient endear. ors to hide himself -Tickling in the throat short dry cough, Strangury, Heat in the welthia, full mine, numberels Tiddiness, headache, los of consciousness, commissions, debility acute neuralgie cutting pains in the bowels, examps in the calves thingho and soles of the feet, Vomiting of bile, Violent inflow ation of the intestinal mucous membrane, retention of mine, Curring in the welling, Dysproca, feeling of construction acrofs the chest, burning in the wind pupe, dry hasking cough, Perspiration, Small doses stimulate and large doses defress the pulse, Yout Inflamatory initations in Joury persons, - asthinga - Indo carditis Strangury, Ischnica, Inflamatry Tiritation of the stomache and bonels, dropsical offections Wente and chronic neural gre

iribation of the thoracie and abdominal viscera, Dystonea, constriction Sorerup, and will taking coughipaljutation, stitches and bearing in the heart, thirst, lop of appellife, praused and voluting foul bile, cutting and chasmodie pains in the browles, discharge of serum, mucous & Mord, acute tenesmus, Sorens and heat in the stomactest Swelling pain, neat, redness and lamenes of the extremitres, debility, but dry skow Antidote. Inthree vometing after which give Coffee Cyclamen Europæum Testent drastie, vomiting of blood cold event, ringing in the ears swimming in the head Crocus Sativus. Passive wherine hemorrhage blood blackish, In Hyterical Fatients, Drosera. Shuckdering - Gelling of construction in the chest, feeling of rawrely in the chest, bloody cough, Sain in the browle diminished secretion of nine Thooping cough in the Spannodie stage

Euphrasia Officinalis. Directation of the conjunction, sensitive nep to light, redness, someness, sensation as if full of sand, lachrymation Catarhal initation of the Schneidevian membrane, Dupatorium Perfoliatum. Intermittent fever bordening afon the remettent type Hamemelis. Hemorrhages from all mucous membranes with astheria, Phlebihis. Hemorrhoids, Varicoccle, Carbuncles, Boils, abcesses Injunes from a fall, Varieuse veins Althe leg-orchihis, Indigo Meed only in recent cases of Spilepsy Diabetes mellitis, Gastro-Intestirul initation of a Lyphord characber, Malignant illectation of the nick of the wombs, God lewcharlioca, Burns, Fort pleas, Suitable to female diseases Antidoto. Cleaginous ormiecila ginous dientes Leaves are of a beautiful glasy green; Stiff like leather, It destroys life by paralysing the newous centres. The extract & bitter almond

seem to exercise a simular effect Apopleyes with bloated counter nance, pulse low and slow (35) Paralysis of the special Sendes, after apopleyy - Typhoid Vnew monia, Threatened Paralysis, Angina Gestors, Afmoda arising from disease of the heart and large vessels, Excessive dysponed acts as palleative - Gangrene of the penis, Infuse menstruation Antidote- Ammonia, then strong Coffee in large doses. Ledum Palustre. Epidemie influenza, Whooping Cough- Chlonie asthma, painfull and shooting sensattion in the throat, if it partakes of an epidemic character! Hormoftysis, Kheumatic diar whoen I a bilious character-Debility and chillings; are prominent indications Ufects Pneumogastrie new principally asthma accompanied by nausen and someting, Idiofrathie atthina, Cardialgia Antidotes. Vegetable acids and Coffee

66 Lycopodium. Chronic Constipation, Relention of wine, disposition to gravel, mealey herfield, mucunal helpes, merennal Caries Meers, Thien polonica, Tenea Cap. itis, with of teneroe suppuration & emply matting of the hair, In Sendous custs where there is swelling of the glands, Magnesia. We use the Sulfshate, Carbonate and the minate of magnesia Sulphate of Magnesia Diarrhad with yellowish quenish discharges, Profuse and phemature menstruction, inability to retain Carbonate of Magnesia. Treenich, frothy, Som colored diar. whoen, adapted to semale with diffreult menstruation and lenconhola, hausen, vomiting Constitution Muriate of Magnesia. Uhime Spasm, menstrual difficulties! Menyanthes. Dull sticking pain in both sides of the chest, worse when pressed upon, sense of compression in both sides of the chest, accompanied by shehes

pressure on the stermin with shikely bramp like pains in the muscles of the left arm and leg, Intermittent Lever, when chill predominates, Chematic Ocafnep, persons cannot hear themselves talk Mezereum. Redness, residention of the skin Burning dryness in the throat fromiting, profuse salivation, dearhau busing in the borrels, initation in the kldneys, tough with expectory. tion of blood of a chimic charactul, Stinging and burning en The skin, Houmid beling huges, Emphons - Lenea Capita's with qual Nelving, Heepes behind the ear with iteling, Lencowhou of a chronic character with iteling, affections from the combined influence I mercury Syphilis, and Bory, Friestities from scrofula syphihis and merenny - Caries of Comes, Thereinal and Supplielitio sores. exsema, Angina of a ohnie character, characterned by dry burning pain on throat dions show with lourising pain in the bowels spasons turseling of the tendons Hermophysis Antidoto. - Camphon \_

Millekolium. Hemorhages from the stomache lungs, bowels, and wheres, Moschus. Hoysteina, fainting where it is difficult to armset the patient, when it appears as if the patient would die, giddines deep sleepy profuse and premature menetination, Carponate of Soda. Constant spitting who of water in Juguant females, mild diarshow proceeding from worms, Chlorade of Sodiesm, Scorbutie disorganizations of the mucous membrane of the month, Heemon hage Nux Juglans. Scrofulous affections when realed in the terrils, inflation of the stomache liquid stools, increased magney to primate bright upon the ckine. Ted rash of the broke and face, mobilino emphion, burning & itching, redness and chapping of the skin, hard swellings in the face, Scrofulosus, Soiter Serofulous lencontraca - Inter . mittent ferrer when of an in. regular buties


Nux Moschata Hoppochon driaxis, Heplica, profice and premiatine minetimetion, lop memory, howours vertigo, Keysterie toothache, feels as if it would be fulled out, Borrels at times caredtwo then love. after eating flatwhent distentine of the abdomen, Dyamenowhrea blind hick and blackish, sensation acrofo the small of the back as if it were a board accompanied by water brash\_ Oleander. Paintels paralysis of the extremities Exanthematous diseases of the head, where vernin are developed, mental alienation with loss. Prunus Spinasa. - Dropssical affections especially Ascites. Podophylam Polatum. Vencennes with discharges of mucous and blood, withthon of the bowels accompanied by nursea -Rammentus Bulbosus. If applied to the skin it produces blisters, then where which are chapmen to sat deeply -Froming sensation in the asspages, especially in the region of the

cardine orifice, Gangierous inflamation of the stobnach and cardias orifice. Contraction of the cardine mfrice Dry Sealey Herpes, Thagesterie Sous, Ratanhia Fisher of the ame, accompranced by constitution ! Rheum. Dianhou accompanied by griping; Severish excelement, tendemus accompanied by a sensation of shuddening, discharges of either felica for some stools, Som deanhau of children, accompanied by restleprets constant jurging to ettob, Diankla accompanied by prying to minate and a difficulty in frinating. Rhadodendron. Pain in the joints, burning, formicating and shooting pain in the joints, Theumatics oplitheal mia, lachrymation, itching of The eyes, Dysferoca fryn rheunatis constation of the chest, Ruta Ciraveolena Siddinep, confusion of eight, delerum, sofrer titing gate, sprasmodic movement of the linebs, pulse down to (30) faintness, deliling, coldness

of the stein, vomiting, colie, salivation inflamed smoley longue, fever and thust, It blisters and in. flams the skin . It is also pised for worms, where the children rom it, Coliey pain in the bowels, Weak Where there is a Congeney to, mountagin with hystelie Spasms Injunes of the bones, Theremake and suphilitie bone Denega. Dronchial catarile, profuse whiting, sensation of burning in the stomach, and livelst, profuse danshow with wa-Any discharges, colley pand Labacum. Faintness, deadley palor, deadly sickness at the stomach, change concleten of the skin, coldness want of reaction. Jospid live, constitution, flature lence, Nettle rash, Blotches pupalons emperious, itching, tingling and burning -

Thuja. Condylomata of a syphilitie chas acted, Warts, Chronic goworkoca, Lenfulous glandular swellings and pleets, Epilefing - Nerrous Verhas, Heyeteric hemicrania, streking praire particularity in the forchead, sometimes affect the eyes as though they would be pierced through, Burning amarting in the eyes, as I occasioned by smoke, Delerium I with a sensation as though the soon were on fire, housed with a desire to somit and a sensation as though a thread were tranging down the throat, faintness, pale Judy - chillings, humans theamapulsative teams of thisboning and the right leg, frain in the tips of the tois, as of incerated, sensatim as if a coll are were passing under the sole to the calf-Pains some endderly-drawing crampy pain, sudden shocks,

Verbascum. hep, heat in the eyes, newpe pains in the lais, Uva Urst. Urging to primate bloody wine distellinge of pus and blood -Cinnamon. Profuse menstruation, amounting to metrorchagia, Glonoine. Headuche with prolent rush of blood, violent throlling. Petroselinum. Gonowhoen - difficulty in win aling. Imarting in the methica, Filix Mas. To expel tape nome and lumbrici -Canabium Apocynum. Infuncal affections Symphytum Officinale Used of ternally to facilitate the healing of llemes Urtica Urens Used as an external application for burns L'euerium. Used for expelling morn and remain y troubles from mornes



A STATE OF THE STA	N. T.		100
Laniocorsus.			yo.
Ledum Palustre. X	65.		70.
Tobelia Inflator.x	05.	Rhododendron X	40.
Leycopodizim. +	66.	Ruta Graveolens.	70.
Magnesia.	66.	Sahordiller.	1.
Corn honate	66.	Sahadilla.	4.
		Sambuens. X	5.
			46.
Menyonthes.	66.	Scilla Maritima	5.
Mezereum.	64.	Sanguinaria X	7:
Millefolium. X			1.
		Secole Cornutum. +	Winner Co.
Manieta Acid	26.	Senena	41.
Ministic Acid. x	96	Sepia. X	1.
Nux Inglans. X	16	Silicea X	1.
			2.
Nux Moschata. X			4.
Oleander:			8.
Oleum Animale Dippelis.			
		Staphasagria X	8.
		Stramonizam,	
		Sulphur.	11.
		Sulphunic Acid X	
Tiglii. ×	41.	Symphytum Officenale.	73.
Oxalic Acid.	25.	Tabacum.	71.
Retroleum.	43.	2 027° 01 XOLE 12711.	71
Petroselinum.	73.	Torrtor Himetic. X	18.
Podophyllum Peltatam.	x 69.	Tonerezzum.	73.
Pramus Spinosa.			72.
Phosphorio Acrd.			73.
Ramunculus Bulbosus	11-		73
COCH CELL CELEELS BY CELLO S SEE	. 39.	G 100 G 150.	10

Index.

Valerian. 72. Zincum Oxide. × 24. Veratrum. × 20. Acetate. 24. Verbascum. × 3. Chloride. 24. Zincum. × 23. Valerianate. 24.



